

# **SAFETY DATA SHEET**

# **SECTION 1) IDENTIFICATION**

Product Name:	Coolcut aerosol					
Synonym:	L-01					
Product Code:	53-B 002 (400 mL)					
Revision Date:	Jun 16, 2022	Date Printed:	Jul 07, 2022			
Version:	1.0	Supersedes Date:	N.A.			
Manufacturer's Name:	Canada - Walter Surface Tec	Canada - Walter Surface Technologies Inc.				
Address:	5977 Trans Canada Highway	5977 Trans Canada Highway West Pointe-Claire, QC, CA, H9R 1C1				
Emergency Phone:	INFOTRAC® 1-800-535-5053. International call collect: 1-352-323-3500 24 hours/day, 7 days/week.					
Information Phone Numb	oer:+1 (888) 592-5837					
Fax:	(514) 630-2825					
Product/Recommended	Uses: Metal cutting lubricant.					

# **SECTION 2) HAZARDS IDENTIFICATION**

# **Type of product**

Aerosol

# Classification

Acute aquatic toxicity - Category 3

Chronic aquatic toxicity - Category 3

Flammable Liquids - Category 1

Gases Under Pressure Compressed Gas

## **Pictograms**



Signal Word

Danger

# Hazardous Statements - Physical

H224 - Extremely flammable liquid and vapor

H280 - Contains gas under pressure; may explode if heated

# Hazardous Statements - Environmental

H412 - Harmful to aquatic life with long lasting effects

# **Precautionary Statements - General**

P101 - If medical advice is needed, have product container or label at hand.

- P102 Keep out of reach of children.
- P103 Read label before use.

**Precautionary Statements - Prevention** 

P273 - Avoid release to the environment.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take action to prevent static discharges.
- P280 Wear protective gloves, protective clothing, eye protection/face protection.

#### **Precautionary Statements - Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P370 + P378 - In case of fire: Use carbon-di oxide, alcohol foam, water spray or dry chemical to extinguish.

#### **Precautionary Statements - Storage**

P403 + P235 - Store in a well-ventilated place. Keep cool.

P410 + P403 - Protect from sunlight. Store in a well-ventilated place.

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/container in accordance with local/national/international regulations.

# Hazards Not Otherwise Classified (HNOC) (Physical & Health)

no data available

# **SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance/Mixture

The product is a mixture.

CAS	Chemical Name	GHS Classifications	% By Weight
0000115-86-6	TRIPHENYL PHOSPHATE	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.10% - 1.00%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

**SECTION 4) FIRST-AID MEASURES** 

#### Inhalation

Eliminate all ignition sources if safe to do so.

Remove source of exposure or move person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

Specific treatment is urgent (see First-Aid on this label).

If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

# **Eye Contact**

If eye irritation persists:

Get medical advice/attention.

Remove source of exposure.

Immediately call a POISON CENTER/doctor and follow their advice.

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open.

Remove contact lenses, if present and easy to do.

Specific treatment is urgent (see First-Aid on this label).

#### Skin Contact

Rinse/wash with lukewarm, gently flowing water and mild soap for 5 minutes or until product is removed.

Take off immediately contaminated clothing.

Store contaminated clothing under water and wash before re-use or discard.

Remove source of exposure.

For brief contact with a small amount: Rewarm with body heat.

Get immediate medical advice/attention.

For extensive contact or a large amount: Immediately call a POISON CENTER/doctor and follow their advice.

Specific treatment is urgent (see First-Aid on this label).

#### Ingestion

If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to an unconscious person. Rinse mouth. Immediately call a POISON CENTER or doctor.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Treat according to symptoms (decontamination, vital functions), no known specific antidote. Treatment should be supportive and based on the judgement of the physician in response to the reaction of the patient.

Most important symptoms/effects, acute and delayed

#### Eye contact

No known significant effects or critical hazards.

#### Inhalation

No known significant effects or critical hazards.

#### **Skin contact**

No known significant effects or critical hazards.

#### Ingestion

No known significant effects or critical hazards.

# **Over-exposure signs/symptoms**

#### Eye contact (OE)

Adverse symptoms may include the following: pain or irritation watering redness

#### Inhalation (OE)

Adverse symptoms may include the following: respiratory tract irritation coughing nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness

# Skin contact (OE)

No known significant effects or critical hazards.

# Ingestion (OE)

No known significant effects or critical hazards.

## **SECTION 5) FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Small Fire : Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam.

Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces.

Large Fire : Water spray, fog or alcohol-resistant foam.

# **Unsuitable Extinguishing Media**

Do not use straight stream of water.

Specific Hazards in Case of Fire

This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

In case of fire, hazardous decomposition products may include carbon oxides.

Fire will produce irritating gases.

Runoff may pollute waterways

Most vapors are heavier than air.

Vapors may form explosive mixtures with air

Vapors will spread along ground and collect in low or confined areas (sewers, basements, tanks)

Vapors may travel to source of ignition and flash back.

Many liquids are lighter than water.

May form an ignitable vapor/air mixture in closed tanks or containers.

Contents under pressure.

Containers can explode in a fire.

Containers exposed to heat and flames may rupture with violent force.

Cylinders exposed to fire may vent and release gas through pressure relief devices.

#### **Fire-fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out.

Stop spill/release if it can be done safely.

Move undamaged containers from immediate hazard area if it can be done safely. Cool containers with flooding quantities of water until well after fire is out. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **Special Protective Actions**

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

## **SECTION 6) ACCIDENTAL RELEASE MEASURES**

### **Emergency Procedure**

Stay uphill and/or upstream. Ventilate closed spaces before entering. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Evacuate and isolate hazard area and keep unauthorized personnel away. A vapor-suppressing foam may be used to reduce vapors.

#### **Recommended Equipment**

Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

#### **Personal Precautions**

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing.

#### **Environmental Precautions**

Notify authorities if any exposure to the general public or the environment occurs or is likely to occur. Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Dike far ahead of liquid spill for later disposal.

## Methods and Materials for Containment and Cleaning up

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Contaminated absorbent material may pose the same hazard as the spilled product. If spilled material is cleaned up using a regulated solvent, the resulting waste mixture may be regulated. Ventilate area after clean-up is complete. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean, non-sparking tools to collect absorbed material. Dispose of contaminated materials according to federal, state and local regulations.

# **SECTION 7) HANDLING AND STORAGE**

#### General

Put on appropriate personal protective equipment (see Section 8). Wash hands after use. Avoid contact with skin, eye or clothing. Avoid breathing vapor or mist. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove

contaminated clothing and protective equipment before entering eating areas. All containers must be properly labelled. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

#### **Ventilation Requirements**

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source. Report ventilation failures immediately.

#### **Storage Room Requirements**

Keep containers securely sealed when not in use. Containers that have been opened must be carefully resealed to prevent leakage. Indoor storage should meet OSHA standards and appropriate fire codes. Empty containers retain residue and may be dangerous. Store in cool, dry, well-ventilated areas away from heat, direct sunlight and strong oxidizers. Store in approved containers and protect against physical damage. Take precautionary measures against electrostatic discharge. To avoid fire or explosion, dissipate static electricity during transfer by ground and bonding containers and equipment before transferring material. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored.

# **SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Eye protection**

Wear safety glasses complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids.

#### **Skin Protection**

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

#### **Respiratory protection**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

#### **Appropriate Engineering Controls**

No personal respiratory protective equipment normally required. Avoid breathing dust/ fume/gas/mist/vapors/spray. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators If vapor or mist is generated when material is heated or handled, provide adequate ventilation to keep the airborne concentrations of vapors below their respective threshold limit value. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

#### **Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Chemical	ACGIH TWA	ACGIH TWA	ACGIH STEL	ACGIH STEL	ACGIH	ACGIH	ACGIH	OSHA TWA
Name	(mg/m3)	(ppm)	(mg/m3)	(ppm)	Carcinogen	TLV Basis	Notations	(mg/m3)
TRIPHENYL PHOSPHATE	3				A4	Cholinesterase inhib	A4	3

Chemical Name	OSHA TWA (ppm)	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	CAN_ONtmg	CAN_ONtppm
TRIPHENYL PHOSPHATE					1			

Chemical Name	CAN_ONsmg	CAN_ONsppm
TRIPHENYL PHOSPHATE		

(C) - Ceiling limit, A4 - Not Classifiable as a Human Carcinogen, inhib - Inhibition

# SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Physical and Chemical Properties

Type of product : aerosol

Density	6.51 lb/gal
Specific Gravity	0.78
% VOC	50%
Density VOC	4.17 lb/gal
Appearance	Gold/Brown Liquid
Odor Threshold	N/A
Odor Description	Perciptible
рН	N/A
Water Solubility	Insoluble in the following mat
Flammability	Flash point below 73°F/23°C
Flash Point Symbol	N/A
Flash Point	N/A
Viscosity	N/A
Lower Explosion Level	N/A
Upper Explosion Level	N/A
Vapor Density	N/A
Freezing Point	N/A
Melting Point	N/A
Low Boiling Point	N/A
High Boiling Point	N/A
Auto Ignition Temp	235.00 °C
Evaporation Rate	N/A
Coefficient Water/Oil	N/A

# **SECTION 10) STABILITY AND REACTIVITY**

# Stability

Stable under normal storage and handling conditions.

#### **Conditions To Avoid**

Avoid all possible sources of ignition, heat, sparks, flame, build up of static electricity and contact with incompatible materials.

# **Hazardous Reactions/Polymerization**

Will not occur.

# **Incompatible Materials**

Strong bases, acids, and oxidizing agents.

# **Hazardous Decomposition Products**

Oxides of carbon.

# **SECTION 11) TOXICOLOGICAL INFORMATION**

# **Acute Toxicity**

Based on available data, the classification criteria are not met.

The Acute Toxicity Estimate (ATE) for an oral exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for a dermal exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for an inhalation (vapour) exposure to this mixture is >20 mg/l

## **Aspiration Hazard**

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Germ Cell Mutagenicity**

Based on available data, the classification criteria are not met.

#### **Reproductive Toxicity**

Based on available data, the classification criteria are not met.

# **Respiratory/Skin Sensitization**

Based on available data, the classification criteria are not met.

#### Serious Eye Damage/Irritation

Based on available data, the classification criteria are not met.

#### Skin Corrosion/Irritation

Based on available data, the classification criteria are not met.

#### Specific Target Organ Toxicity - Repeated Exposure

Based on available data, the classification criteria are not met.

#### Specific Target Organ Toxicity - Single Exposure

Based on available data, the classification criteria are not met.

#### Likely Routes of Exposure

Inhalation, Ingestion, Skin contact, Eye contact

# **SECTION 12) ECOLOGICAL INFORMATION**

# **Toxicity**

Harmful to aquatic life

Harmful to aquatic life with long lasting effects

# Persistence and Degradability

No data available.

### **Bioaccumulative Potential**

No data available.

# Mobility in Soil

No data available.

#### **Other Adverse Effects**

No data available.

# **SECTION 13) DISPOSAL CONSIDERATIONS**

#### Waste Disposal

It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, state and local laws. Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes.

# **SECTION 14) TRANSPORT INFORMATION**

	IATA Information	IMDG Information	U.S. DOT Information	Canada TDG Information
UN number:	UN1993	UN1993	UN1993	UN1993
Proper shipping name:	Flammable liquids, n.o.s.	Flammable liquids, n.o.s.	Flammable liquids, n.o.s.	Flammable liquids, n.o.s.
Hazard class:				3
Hazard class:	3	3	3	
Packaging group:	1	1	1	1
Hazardous substance (RQ):			No Data Available	
Marine Pollutant:	NA	No Data Available	No Data Available	No Data Available
Note / Special Provision:	No Data Available	No Data Available	No Data Available	No Data Available
Toxic-Inhalation Hazard:	NA	NA	No Data Available	No Data Available

# **SECTION 15) REGULATORY INFORMATION**

## **U.S. Federal regulations**

United States inventory (TSCA 8b): All components are listed or exempted.

# Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)

Dimethyl ether

# **Clean Air Act Section 602 Class I Substances**

None of the components are listed.

# **Clean Air Act Section 602 Class II Substances**

None of the components are listed.

# **DEA List I Chemicals (Precursor Chemicals)**

None of the components are listed.

# DEA List II Chemicals (Essential Chemicals)

# None of the components are listed.

# SARA 302/304

None of the components are listed.

# **SARA 313**

None of the components are listed.

# SARA 311/312

## **States regulations**

Massachusetts : The following components are listed: Dimethyl ether New Jersey : The following components are listed: Dimethyl ether Pennsylvania : The following components are listed: Dimethyl ether

## Canada

CEPA toxic substance : None of the components are listed. Canada inventory (DSL NDSL) : All components are listed or exempted. Canadian NPRI : The following components are listed: Dimethyl ether

# **International lists**

China : All components are listed or exempted.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Taiwan : All components are listed or exempted.

Australia : All components are listed or exempted.

#### Europe : All components are listed or exempted.

Turkey : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

## **California Proposition 65**

CAS	Chemical Name	% By Weight	Regulation List
0000115-86-6	TRIPHENYL PHOSPHATE	0.10% - 1.00%	Canada_NPRI,DSL,TSCA

Product does not contain any chemicals listed under California Proposition 65

# **SECTION 16) OTHER INFORMATION**

# Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDGCanadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System. ACGIH -American Conference of Governmental Industrial Hygienists; CAS - Chemical Abstracts Service ; Chemtrec - Chemical Transportation Emergency Center; DSL - Domestic Substances List; ESL- Effects screening levels; GHS - "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations; HMIS - Hazardous Material Information Service; IATA - Dangerous Goods Regulations (DGR) for the air transport (IATA); IMDG - International Maritime Dangerous Goods Code; LC - Lethal Concentration; LD -Lethal Dose; NFPA - National Fire Protection Association; OEL - Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL - Permissible Exposure Limit; SARA 313 - Superfund Amendments and Reauthorization Act, Section 313; SCBA - Self Contained Breathing Apparatus; ppm - parts per million; STEL - Short-term exposure limit; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act Public Law 94-469; TWA - Time-weighted average; US DOT- US Department of Transportation.

#### Full text of H-Statements referred to under Section 3

- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

# DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.