



INQUIRE ABOUT THIS PRODUCT

[BUY NOW](#)

SR 4 SERIES HIGH PRESSURE CYLINDER REGULATOR

[OVERVIEW](#)

[DOCUMENTS AND SPECS](#)

[ORDERING INFORMATION](#)



Documents

Specifications	
Case Material	Brass
Cylinder Gas	Oxygen
Diameter	63.5 mm (2.5 in.)
Model	SR 4F-540
Part Number	0781-1405
Case Material	Brass
Cylinder Gas	Oxygen
Diameter	63.5 mm (2.5 in.)
Model	SR 4G-540
Part Number	0781-1425
Case Material	Brass
Cylinder Gas	Oxygen

Diameter	63.5 mm (2.5 in.)
Model	SR 4J-540
Part Number	0781-1445
Case Material	Brass
Cylinder Gas	Inert Gas
Diameter	63.5 mm (2.5 in.)
Model	SR 4F-580
Part Number	0781-1408
Case Material	Brass
Cylinder Gas	Inert Gas
Diameter	63.5 mm (2.5 in.)
Model	SR 4G-680
Part Number	0781-1430
Case Material	Brass
Cylinder Gas	Inert Gas
Diameter	63.5 mm (2.5 in.)
Model	SR 4J-580
Part Number	0781-1448
Case Material	Brass
Cylinder Gas	Air
Diameter	63.5 mm (2.5 in.)
Model	SR 4F-347
Part Number	0781-1403
Case Material	Brass
Cylinder Gas	Air
Diameter	63.5 mm (2.5 in.)
Model	SR 4G-346
Part Number	0781-1422
Case Material	Brass
Cylinder Gas	Air
Diameter	63.5 mm (2.5 in.)
Model	SR 4J-346
Part Number	0781-1442
Case Material	Brass

Cylinder Gas	Air
Diameter	63.5 mm (2.5 in.)
Model	SR 4K-347
Part Number	0781-1463
Case Material	Brass
Cylinder Gas	Methane, Hydrogen
Diameter	63.5 mm (2.5 in.)
Model	SR 4F-350
Part Number	0781-1404
Case Material	Brass
Cylinder Gas	Methane, Hydrogen
Diameter	63.5 mm (2.5 in.)
Model	SR 4G-350
Part Number	0781-1424
Case Material	Brass
Cylinder Gas	Methane, Hydrogen
Diameter	63.5 mm (2.5 in.)
Model	SR 4J-350
Part Number	0781-1444
Case Material	Brass
Cylinder Gas	CO2
Diameter	63.5 mm (2.5 in.)
Model	SR 4F-320
Part Number	0781-1401

Specifications	
CGA Inlet	540
CGA Outlet	1/4" Swaglok®
Delivery Range (imp)	30-750 psig
Maximum Inlet Pressure	3000 psig
Model	SR4F-540
CGA Inlet	540
CGA Outlet	1/4" Swaglok®
Delivery Range (imp)	100-1500 psig
Maximum Inlet Pressure	3000 psig

Model	SR4G-540
CGA Inlet	540
CGA Outlet	1/4" Swagelok®
Delivery Range (imp)	200-3000 psig
Maximum Inlet Pressure	3000 psig
Model	SR4J-540
CGA Inlet	347
CGA Outlet	1/4" Swagelok®
Delivery Range (imp)	50-750 psig
Maximum Inlet Pressure	5500 psig
Model	SR4F-347
CGA Inlet	346
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	100-1500 psig
Maximum Inlet Pressure	3000 psig
Model	SR4G-346
CGA Inlet	346
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	200-3000 psig
Maximum Inlet Pressure	3000 psig
Model	SR4J-346
CGA Inlet	347
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	300-4500 psig
Maximum Inlet Pressure	5500 psig
Model	SR4K-347
CGA Inlet	580
CGA Outlet	1/4" Swagelok®
Delivery Range (imp)	50-750 psig
Maximum Inlet Pressure	3000 psig
Model	SR4F-580
CGA Inlet	680
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	50-750 psig

Maximum Inlet Pressure	5500 psig
Model	SR4F-680
CGA Inlet	580
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	100-1500 psig
Maximum Inlet Pressure	3000 psig
Model	SR4G-580
CGA Inlet	680
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	100-1500 psig
Maximum Inlet Pressure	5500 psig
Model	SR4G-680
CGA Inlet	580
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	200-3000 psig
Maximum Inlet Pressure	3000 psig
Model	SR4J-580
CGA Inlet	680
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	200-3000 psig
Maximum Inlet Pressure	5500 psig
Model	SR4J-680
CGA Inlet	677
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	200-3000 psig
Maximum Inlet Pressure	7500 psig
Model	SR4J-677
CGA Inlet	680
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	300-4500 psig
Maximum Inlet Pressure	5500 psig
Model	SR4K-680
CGA Inlet	677
CGA Outlet	1/4" Swagelok

Delivery Range (imp)	300-4500 psig
Maximum Inlet Pressure	7500 psig
Model	SR4K-677
CGA Inlet	350
CGA Outlet	1/4" Swagelok®
Delivery Range (imp)	50-750 psig
Maximum Inlet Pressure	3000 psig
Model	SR4F-350
CGA Inlet	350
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	100-1500 psig
Maximum Inlet Pressure	3000 psig
Model	SR4G-350
CGA Inlet	350
CGA Outlet	1/4" Swagelok
Delivery Range (imp)	200-3000 psig
Maximum Inlet Pressure	3000 psig
Model	SR4J-350
CGA Inlet	320
CGA Outlet	CGA 032 5/8" – 18 UNF
Delivery Range (imp)	50-750 psig
Maximum Inlet Pressure	3000 psig
Model	SR4F-320
CGA Outlet	1/4"
Cylinder Gas	Oxygen
Maximum Delivery Pressure	50-750 psig
Maximum Inlet Pressure	5500-7500 psig
Model	SR 4F-540
CGA Outlet	1/4"
Cylinder Gas	Oxygen
Maximum Delivery Pressure	100-1500 psig
Model	SR 4G-540
CGA Outlet	1/4"
Cylinder Gas	Oxygen

Maximum Delivery Pressure	200-3000 psig
Model	SR 4J-540
CGA Outlet	1/4"
Cylinder Gas	Inert Gas
Maximum Delivery Pressure	50-750 psig
Model	SR 4F-580
CGA Outlet	1/4"
Cylinder Gas	Inert Gas
Maximum Delivery Pressure	100-1500 psig
Model	SR 4G-680
CGA Outlet	1/4"
Cylinder Gas	Inert Gas
Maximum Delivery Pressure	200-3000 psig
Model	SR 4J-580
CGA Outlet	1/4"
Cylinder Gas	Air
Maximum Delivery Pressure	50-750 psig
Model	SR 4F-347
CGA Outlet	1/4"
Cylinder Gas	Air
Maximum Delivery Pressure	100-1500 psig
Model	SR 4G-346
CGA Outlet	1/4"
Cylinder Gas	Air
Maximum Delivery Pressure	200-3000 psig
Model	SR 4J-346
CGA Outlet	1/4"
Cylinder Gas	Air
Maximum Delivery Pressure	300-4500 psig
Model	SR 4K-347
CGA Outlet	1/4"
Cylinder Gas	Methane, Hydrogen
Maximum Delivery Pressure	50-750 psig
Model	SR 4F-350

CGA Outlet	1/4"
Cylinder Gas	Methane, Hydrogen
Maximum Delivery Pressure	100-1500 psig
Model	SR 4G-350
CGA Outlet	1/4"
Cylinder Gas	Methane, Hydrogen
Maximum Delivery Pressure	200-3000 psig
Model	SR 4J-350
CGA Outlet	1/4"
Cylinder Gas	CO2
Maximum Delivery Pressure	50-750 psig
Model	SR 4F-320

(<https://plus.google.com/115697060530124940386>).