

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 31/05/2018 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Substance

Substance name : Helium (Compressed)

CAS No : 7440-59-7 Formula : He

Synonyms : Helium, compressed / Helium gas

1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Test/Calibration gas, Balloon Filling, Welding

1.3. Supplier

RS Josef Group

201 Basaltic Rd, Concord

Canada L4K 1G4

T 416-658-1212

www.josefgases.com

1.4. Emergency telephone number

Emergency number 1-613-996-6666 CANUTEC

Call emergency number 24 hours a day.

For routine information, contact your supplier or RS Josef Group

sales representative

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Gases under pressure : Compressed gas H280

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)



GHS04

Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : H280 - Contains gas under pressure; may explode if heated Precautionary statements (GHS-CA) : P410+P403 - Protect from sunlight. Store in a well-ventilated place

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%	Classification (GHS-CA)
Helium (Compressed)	(CAS No) 7440-59-7	> 99	Compressed gas, H280
(Main constituent)			

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

31/05/2018 EN (English) SDS Ref.: EIGA061A Page 1

RS Josef Group cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 4: First-aid measures

4.1. **Description of first aid measures**

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion

Most important symptoms and effects (acute and delayed)

Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestion

Symptoms/injuries upon intravenous administration

Chronic symptoms

Immediate medical attention and special treatment, if necessary

: If you feel unwell, seek medical advice. If breathing is difficult, give oxygen. Other medical advice or treatment

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use water jet to extinguish.

5.3. Specific hazards arising from the hazardous product

Fire hazard : The product is not flammable.

Explosion hazard Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire

and increasing risk of burns and injuries.

Special protective equipment and precautions for fire-fighters

: In case of fire: Evacuate area, Fight fire remotely due to the risk of explosion. Use water spray Firefighting instructions

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire Protection during firefighting

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions, Protective Equipment and Emergency Procedures

: EVACUATE ALL PERSONNEL FROM AFFECTED AREA. Use appropriate protective equipment. If leak is on user's equipment, be certain to purge piping before attempting repairs. If leak is on a container or container valve contact RS Josef Group.

Methods and materials for containment and cleaning up

: Comply with local regulations for disposal. Methods for cleaning up

Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or

in a well-ventilated area.

Hygiene measures Do not eat, drink or smoke when using this product.

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for

cylinder pressure. Close valve after each use and when empty.

Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in Storage conditions

use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well

ventilated area.

Incompatible products : None known. Incompatible materials None known.

31/05/2018 EN (English) SDS ID: CA-1001-06711 2/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure exposure is below occupational exposure limits (where available). Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment : Gloves. Safety glasses. Protective clothing. Safety shoes.



Hand protection : Wear working gloves when handling gas containers.

Eye protection : Wear safety glasses with side shields.

Skin and body protection : Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.

Respiratory protection : None necessary during routine operations. See Sections 5 & 6.

Thermal hazard protection : None necessary during routine operations.

Environmental exposure controls : Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

Other information : Wear safety shoes while handling containers.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Clear, colorless gas. Appearance Molecular mass 4.0026 g/mol Colour Colourless. Odour Odourless. Odour threshold No data available No data available pН pH solution No data available Relative evaporation rate (butylacetate=1) No data available Relative evaporation rate (ether=1) : No data available

Melting point : -272 °C

Freezing point : No data available Boiling point : -268.94 °C

Flash point : Not applicable (non-flammable gas)

Critical temperature : -266.96 °C

Auto-ignition temperature : Not applicable.

Decomposition temperature : No data available

Flammability (solid, gas) : See Section 2.1 and 2.2

Vapour pressure : No data available

Vapour pressure at 50 °C : No data available

Critical pressure : 230 kPa

Critical pressure : 230 kPa
Relative vapour density at 20 °C : 0.138

Relative density : No data available
Relative density of saturated gas/air mixture : No data available
Density : No data available

Relative gas density : 0.14

Solubility : Water: 1.5 mg/l

Log Pow : Not applicable for inorganic gases.

Log Kow : No data available
Viscosity, kinematic : Not applicable.
Viscosity, dynamic : Not applicable.
Viscosity, kinematic (calculated value) (40 °C) : No data available

Explosive properties : Not applicable (non-flammable gas).

31/05/2018 EN (English) SDS ID: CA-1001-06711 3/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Oxidising properties : None.

Explosive limits : Not applicable (non-flammable gas)

Lower explosive limit (LEL) : No data available Upper explosive limit (UEL) : No data available

9.2. Other information

Gas group : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : None known.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : None known.

Hazardous decomposition products : Under normal conditions of storage and use hazardous decomposition products should not be

produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:gas: Not classified.

Helium (Compressed) (\f)7440-59-7	
LC50 inhalation rat (ppm)	820000 ppm/4h
ATE CA (gases)	820000.00000000 ppmv/4h

Skin corrosion/irritation : Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity : Not classified Carcinogenicity Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

SECTION 12: Ecological information

12.1. Toxicity

Aspiration hazard

Ecology - general : No ecological damage caused by this product.

: Not classified

12.2. Persistence and degradability

Helium (Compressed) (7440-59-7)	
Persistence and degradability	No ecological damage caused by this product.

12.3. Bioaccumulative potential

Helium (Compressed) (7440-59-7)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.

12.4. Mobility in soil

Helium (Compressed) (7440-59-7)	
Log Pow	Not applicable for inorganic gases.
Ecology - soil	No ecological damage caused by this product.

31/05/2018 EN (English) SDS ID: CA-1001-06711 4/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Contact supplier if guidance is required. Do not discharge into any place where its

accumulation could be dangerous. Ensure that the emission levels from local regulations or

operating permits are not exceeded.

Waste disposal recommendations : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for

more guidance on suitable disposal methods.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

UN-No. (TDG) : UN1046

TDG Primary Hazard Classes : 2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gas.

Transport Document Description : UN1046 HELIUM, COMPRESSED, 2.2

Proper Shipping Name : HELIUM, COMPRESSED

Hazard labels (TDG) : 2.2 - Non-flammable, non-toxic gases



TDG Special Provisions

: 148 - (1) Part 5 (Means of Containment) does not apply to radiation detectors that contain these dangerous goods in non-refillable pressure receptacles if (a)the working pressure in each receptacle is less than 5 000 KPa; (b)the capacity of each receptacle is less than 12 L; (c)each receptacle has a minimum burst pressure of (i)at least 3 times the working pressure, when the receptacle is fitted with a relief device, or (ii)at least 4 times the working pressure, when the receptacle is not fitted with a relief device; (d)each receptacle is manufactured from material that will not fragment upon rupture; (e)each detector is manufactured under a quality assurance program; ISO 9001:2008 is an example of a quality assurance program. (f)the detectors are transported in strong outer means of containment; and (g)a detector in its outer means of containment is capable of withstanding a 1.2 m drop test without breakage of the detector or rupture of the outer means of containment. (2)Part 5 (Means of Containment) does not apply to radiation detectors that contain these dangerous goods in non-refillable pressure receptacles and that are included in equipment, if (a)the conditions set out in paragraphs (1)(a) to (e) are met; and (b)the equipment is contained in a strong outer means of containment or the equipment affords the detectors with protection that is equivalent to that provided by a strong outer means of containment. (3)These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to radiation detectors that contain these dangerous goods in non-refillable pressure receptacles, including detectors in radiation detection systems, if the detectors meet the requirements of subsection (1) or (2), as applicable, and the capacity of the receptacles that contain the detectors is less than 50 mL. SOR/2014-306

Explosive Limit and Limited Quantity Index : 0.125 L
Excepted quantities (TDG) : E1
Passenger Carrying Road Vehicle or Passenger : 75 L
Carrying Railway Vehicle Index

14.2. Transport information/DOT - USA

Department of Transport

DOT NA no. : UN1046 UN-No.(DOT) : 1046

Transport Document Description : UN1046 Helium, compressed, 2.2

Proper Shipping Name (DOT) : Helium, compressed

Contains Statement Field Selection (DOT) : DOT_TECHNICAL - Proper Shipping Name - Technical (DOT)

Class (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115

Division (DOT) : 2.2

31/05/2017 EN (English) SDS ID: CA-1001-06711 5/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard labels (DOT) : 2.2 - Non-flammable gas



Dangerous for the environment : No

DOT Packaging Exceptions (49 CFR 173.xxx) : 306;307
DOT Packaging Non Bulk (49 CFR 173.xxx) : 302
DOT Packaging Bulk (49 CFR 173.xxx) : 302;314
DOT Quantity Limitations Passenger aircraft/rail : 75 kg (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargovessel and on a

passenger vessel

Emergency Response Guide (ERG) Number : 120 (UN1963);121 (UN1046)

Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's

compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers:

- Ensure there is adequate ventilation. - Ensure that containers are firmly secured. - Ensure cylinder valve is closed and not leaking. - Ensure valve outlet cap nut or plug (where provided)

is correctly fitted. - Ensure valve protection device (where provided) is correctly fitted.

Other information : No supplementary information available.

14.3. Air and sea transport

IMDG

UN-No. (IMDG) : 1046

Proper Shipping Name (IMDG) : Helium, Compressed

Class (IMDG) : 2 - Gases MFAG-No : 121

Ship Safety Act : Gases under pressure/Gases nonflammable nontoxic under pressure(Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods Regulations)

Port Regulation Law : Hazardous materials/High pressure gas (Article 21, Paragraph 2 of Law, Article 12 rule, notice

attached table that defines the type of dangerous goods)

IATA

UN-No. (IATA) : 1046

Proper Shipping Name (IATA) : Helium, Compressed

Class (IATA) : 2

Civil Aeronautics Law : Gases under pressure/Gases nonflammable nontoxic under pressure(Hazardous materials

notice Appended Table 1 Article 194 of the Enforcement Regulations)

SECTION 15: Regulatory information

15.1. National regulations

Helium (Compressed) (7440-59-7)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Helium (Compressed) (7440-59-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

31/05/2018 EN (English) SDS ID: CA-1001-06711 6/7

Safety Data Sheet according to the Hazardous Products Regulation (February 11, 2015)

	4000		
		har in	formation
	TO. OL		IOI III alioi

Date of issue : 31/05/2018

Full text of H-statements:

H280 Contains gas under pressure; may explode if heated

SDS Canada (GHS)

THE INFORMATION, RECOMMENDATIONS AND DATA CONTAINED IN THIS DOCUMENT ARE INTENDED TO BE USED BY PROPERLY TRAINED AND QUALIFIED PERSONNEL ONLY AND AT THEIR SOLE RISKS AND DISCRETION. THE INFORMATION, RECOMMENDATIONS AND DATA HEREIN CONTAINED ARE DERIVED FROM SOURCES WHICH WE BELIEVE TO BE RELIABLE. HOWEVER, RS JOSEF GROUP MAKES NO REPRESENTATION AND GIVES NO WARRANTY OF ANY KIND WHATSOEVER WITH RESPECT TO THEIR ACCURACY OR COMPLETENESS AND ASSUMES NO LIABILITY FOR DAMAGES OR LOSS ARISING DIRECTLY OR INDIRECTLY FROM THEIR USE, WHETHER PROPER OR IMPROPER.

7/7 31/05/2018 EN (English) SDS ID: CA-1001-06711